| | _ | | | | | |
|---|-------------|---------------------------------------|--------------------------------|------------------------|---|--|
| | | Schicht | γ / γ' [kN/m ³] | φ' _k [°] | c' _k [kN/m ²] | E _{s,k} [MN/m ²] |
| ~_∇NHN +19,5 n | n | | | | | |
| _ <u>∇NHN +18,5 m</u> | <u>n //</u> | Auffüllung | 18/10 | 30 | 0 | 30 |
| _∇NHN +16,5 n | n. | Beckenschluff / Beckenton | 20/10 | 25 | 10 | 30 |
| <u>∇</u> NHN +15,0 m | | Sand, mind. mitteldicht | 19/11 | 35 | 0 | 60 |
| <u>∇ NHN +10,0 m</u> <u>▼ ∇NHN +9,0 m</u> <u>BGW NHN +9,0</u> | m | | | | | |
| | | Beckenschluff / Beckenton | 20/10 | 25 | 10 | 30 |
| <u>⊗</u> _ <u>∇NHN +3,0 m</u> | | | | | | |
| N 022445 Anlage 14.1 MU0'0∓ NHN | | Geschiebemergel, mind. steif | 22/12 | 30 | 10 | 60 |
| V NHN +5,0 m V NHN +3,0 m V NHN +3,0 m V NHN ±0,0m V NHN ±0,0 | • | | · ' | | | . , |
| Zu den Gültigkeit siehe Lageskizze | | chen der Bemessung age 022445/14.3 | gsprofile | | | |
| Anlage: | | | | | | Änderunger |

| st, Entwurfsplar | | U5 Ost City Nord bis Bramfeld Entwurfsplanung | Änderungen: |
|------------------|---------------------------|--|-------------------------------|
| 2445 U5-Os | | Baugrubenbemessungsprofil | |
| 022999\022 | Gez.: Ef Dat.: 13.11.2018 | Trockenaushub Trogstrecke Dock 1.1 auf 25 m Länge vor Dock 2 (Sonderstrecke) | Gepr.: Bt Dat.: 17.01.2019 |
| is 0 | | DDAHINGENIEHDE CTEINEELD HND DADTNED | |

GRUNDBAUINGENIEURE STEINFELD UND PARTNER BERATENDE INGENIEURE mbB 20457 HAMBURG - REIMERSBRÜCKE 5 - TELEFON (040) 389139-0

